




ASP containers for hazardous solid waste



ASP 600 / 800 / 1 500 / 1 800 11AX

Hazardous waste containers



Hazardous waste. A durable solution.

ASP containers with UN certification



Certified IBC containers (11 A) for storage and transport of hazardous solid, bulk and pasty substances. Certified according to Chapter 6.5 of the ADR, packing groups I. / X, II. / Y and III. / Z according to ADR / RID / IMDG / RTDG. Filling and emptying by gravity, without the use of pressure.

Design and equipment

- Hot-dip galvanised construction according to DIN 30741, part I.
- Handling by forklift or crane.
- Document pocket.
- Lid with handle and springs for easier opening.
- Lid locks in place when opened to 81° and 270°.
- 2 lid locks; ASP 1 500 and 1 800 have 4.
- Lid and side thickness 2 mm, bottom 2.5 mm.



Technical parameters

Type	Volume	External / internal dimensions [l × w × h] mm	Weight	Max. gross weight
ASP 600 11AX	600 l	1 200 × 1 000 × 1 060 1 008 × 816 × 770	180 kg	1 450 kg
ASP 800 11AX	800 l	1 200 × 1 000 × 1 250 1 008 × 816 × 962	190 kg	1 450 kg
ASP 1 500 11AX	1 500 l	1 440 × 1 200 × 1 665 1 248 × 1 016 × 1 375	320 kg	1 500 kg
ASP 1 800 11AX	1 800 l	1 461 × 1 461 × 1 302 1 300 × 1 300 × 1 100	362 kg	1 600 kg

Periodic inspections 2.5 years after the date of manufacture extend the validity of the UN code by a further 2.5 years.




VIEW OUR
RANGE




It is up to the user to follow the relevant ADR guideline for packaging a specific substance. These requirements are not part of the container certification.


ASP 600 11AX




ASP 800 11AX



ASP 1 500 11AX



ASP 1 800 11AX





ELKOPLAST CZ, s.r.o.

Štefánikova 2664
760 01 Zlín
Czech Republic

e-mail: elkoplast@elkoplast.cz
tel.: +420 575 571 000



www.elkoplast.eu